

HiDM5 (All-Black)

ALL-BLACK HIGH DENSITY MONO PERC MODULE


390 W ~ 405 W

CS1Y-390 | 395 | 400 | 405MS

Dimensions: 2021 × 996 × 35 mm (79.6 × 39.2 × 1.38 in)

Weight: 22.6 kg (49.8 lbs)

Max. System Voltage: 1000 V (IEC/UL)



MORE POWER



Aesthetically pleasing design blends into your roof



UP TO
20.1%

Maximize the light absorption area,
module efficiency up to 20.1 %



Low temperature coefficient (Pmax): -0.37 % / °C



Better shading tolerance

MORE RELIABLE



Lower internal current, lower hot spot temperature



Minimizes micro-crack impacts



Heavy snow load up to 5400 Pa, wind load up to 2400 Pa*



enhanced product warranty on materials
and workmanship*



linear power output warranty*

*According to the applicable Canadian Solar Limited Warranty Statement

MANAGEMENT SYSTEM CERTIFICATES*

ISO 9001:2015
Quality management system
ISO 14001:2015
Standards for environmental management system
OHSAS 18001:2007
International standards for occupational health & safety

PRODUCT CERTIFICATES*

As there are different certification requirements in different markets, please contact your local Canadian Solar sales representative for the specific certificates applicable to the products in the region in which the products are to be used.

CANADIAN SOLAR INC. is committed to providing high-quality solar products, solar system solutions, and services to customers around the world. No. 1 module supplier for quality and performance/price ratio in IHS Module Customer Insight Survey. As a leading PV project developer and manufacturer of solar modules with over 40 GW deployed around the world since 2001.

Address:

Unit 2301, Bayfield Building, 99 Hennessy Rd, Wanchai, Hong Kong

Tel: +852 5803 4267

Email: info@joginternational.com

Website: www.joginternational.com